



# ELASTICITY GEL-CREAM

## DESCRIPTION

Lifting gel-cream with a high percentage of active ingredients for a maximum efficacy, light texture and fast absorption. It is rich in proteoglycans and collagen to reinforce the cutaneous matrix and have a V-shaped restructuring effect.

Leaves skin fresh, moisturized, soothed and comfortable.

## ORGANOLEPTIC SPECIFICATION

## LIMITS

## METHOD

| ORGANOLEPTIC SPECIFICATION | LIMITS                                | METHOD  |
|----------------------------|---------------------------------------|---------|
| Appearance                 | Homogeneous, fine and bright emulsion | IN-1014 |
| Color                      | Pearl whitish                         | IN-1014 |
| Odour                      | Characteristic                        | IN-1014 |

## PHISICAL-CHEMICAL SPECIFICATIONS

## LIMITS

## METHOD

| PHISICAL-CHEMICAL SPECIFICATIONS | LIMITS    | METHOD  |
|----------------------------------|-----------|---------|
| Viscosity (20°C) cps             | 4700-6100 | IN-1013 |
| Ph (20°C)                        | 5,00-5,50 | MA-004  |

## MICROBIOLOGICAL SPECIFICATIONS

## LIMITS

## METHOD

| MICROBIOLOGICAL SPECIFICATIONS | LIMITS      | METHOD    |
|--------------------------------|-------------|-----------|
| Total aerobial count           | < 200 cfu/g | ISO 21149 |
| Moulds and Yeasts              | < 20 cfu/g  | ISO 16212 |
| Staphylococcus aureus          | absence / g | ISO 22718 |
| Candida albicans               | absence / g | ISO 18416 |
| Pseudomonas aeruginosa         | absence / g | ISO 22717 |
| Escherichia coli               | absence / g | ISO 21150 |

## %

## ACTIVE INGREDIENTS

## FUNTIONS

| %      | ACTIVE INGREDIENTS                    | FUNTIONS   |
|--------|---------------------------------------|--|
| 2,4    | SOLUBLE COLLAGEN                      | Highly moisturizing power. Increase of cell growth. Elasticity and firmness.   |
| 2      | SQUALANE                              | Natural component of the skin, good emollient that has antioxidant properties and stimulates the immune system.  |
| 0,1    | PYRIDOXINE HCL                        | Vitamin B6: reduces sebum levels and reduce the appearance of spots.   |
| 0,1    | ZINC PCA                              | It is involved in the DNA's and protein's synthesis contributing to the cell's energy. It also has remarkable antiseptic and anti-inflammatory properties.   |
| 0,1    | SOLUBLE PROTEOGLYCAN                  | Proteoglycan. Improvement effect on skin elasticity, roughness, moisturizing , despigmentation, recovering of wrinkles, inhibition on wrinkle leng increase. |
| 0,0366 | SODIUM GLUCURONATE                    | Precursor of s-GAGs synthesis. Help in the production of fibroblasts.  |
| 0,0366 | DISODIUM ACETYL GLUCOSAMINE PHOSPHATE | Precursor of s-GAGs synthesis. Help in the production of fibroblasts.  |



NEF796.01

|        |                                    |  |
|--------|------------------------------------|--|
| 0,0085 | SODIUM ACETYLATED HYALURONATE      | Ultra High molecular Sodium Hyaluronate. It makes a protective dense film on the skin surface reducing the water loss from inside while also provides moisturization 24h.      |
| 0,0075 | SODIUM HYALURONATE                 | Improves skin texture and brightness with intense moisture and balance. It also has anti-aging skincare properties fill-in and diminishes the look of fine lines and wrinkles. |
| 0,0068 | MAGNESIUM SULFATE                  | A fast action on S-GAGs synthesis for skin reorganization. Help in the production of fibroblasts.  |
| 0,0035 | SODIUM HYALURONATE<br>CROSSPOLYMER | Sodium Hyaluronate that holds water on the surface nourishing the skin.  |
| 0,0015 | HYDROLYZED SODIUM HYALURONATE      | Extremely low molecular Sodium Hyaluronate that rapidly penetrates into the epidermis and dermis hydrating and restoring the skin from inside.                                 |

## INCI

## AVAILABLE FORMATS

AQUA / WATER, DODECANE, DICAPRYLYL CARBONATE, BUTYLENE GLYCOL, GLYCERIN, PROPYLENE GLYCOL, DIMETHICONE, SOLUBLE COLLAGEN, SQUALANE, ALCOHOL DENAT., CETYL ALCOHOL, GLYCERYL STEARATE, CAPRYLIC/CAPRIC/MYRISTIC/STEARIC TRIGLYCERIDE, ETHOXYDIGLYCOL, BENZYL ALCOHOL, SODIUM POLYACRYLATE, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, TOCOPHERYL ACETATE, PEG-75 STEARATE, MICA, CETETH-20, STEARETH-20, POLYSILICONE-11, ACACIA SENEGAL GUM, ETHYLHEXYL STEARATE, XANTHAN GUM, TITANIUM DIOXIDE, ETHYLHEXYLGLYCERIN, PYRIDOXINE HCL, SOLUBLE PROTEOGLYCAN, ZINC PCA, DISODIUM EDTA, CAPRYLYL GLYCOL, PENTYLENE GLYCOL, TRIDECETH-6, DISODIUM ACETYL GLUCOSAMINE PHOSPHATE, SODIUM GLUCURONATE, POLYGLYCERYL-3 CAPRATE, SODIUM HYDROXIDE, SODIUM ACETYLATED HYALURONATE, SODIUM HYALURONATE, MAGNESIUM SULFATE, DECYL GLUCOSIDE, SODIUM HYALURONATE CROSSPOLYMER, TOCOPHEROL, PHENOXYETHANOL, HYDROLYZED SODIUM HYALURONATE, HEXYLENE GLYCOL



## OBSERVATIONS

Contains silicones. The % of active ingredients can be adjusted to a target price.

## SHELF LIFE AND STORAGE

Expiry date: 3 years from production.

PAO: 12 months

Storage: Store between 15-25°C. Protect form the light.



NEF796.01

---

## Sterilization:

The information contained in this document is prepared for informational and commercial purposes only, referring to the product described. The information regarding raw materials and active ingredients, may vary for reasons beyond our Company's control.

Do not use this information for: : regulatory purposes, preparation of safety dossier, product registration or printing of labels and packaging. For these purposes, please contact the Commercial Department of Neftis Laboratorios SL.